

Cement

Version number: 4.1
Replaces version of: 2020-02-04 (4)

Revision: 2020-02-06
First version: 2014-12-19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Cement

FLX-CRM100, FLX-CRM101, FLX-CRM103, FLX-CRM105, FLX-CRM106, FLX-CRM107, FLX-CRM108, FLX-CRM109, FLX-CRM110, FLX-CRM113. FLX-CRM114, FLX-CRM115, FLX-CRM116, FLX-CRM117, FLX-CRM118, FLX-CRM119, FLX-CRM120, FLX-CRM121, FLX-CRM122, FLX-CRM130, FLX-CRM131, FLX-CEM 01, FLX-CEM 02, FLX-CEM 03, FLX-CEM 04, FLX-CEM 05, FLX-CEM 06, FLX-CEM 07, FLX-CEM 08, FLX-CEM 09, FLX-CEM 10, FLX-CEM 11, FLX-CEM 12, FLX-CEM 13, FLX-CEM 14, FLX-CEM 15, FLX-CEM 16, FLX-CEM 17, FLX-CEM 18, FLX-CEM 19, FLX-CEM 20, FLX-CEM 21a FLX-CEM V02, FLX-CEM V03, FLX-137, FLX-138

Registration number (REACH)

Not relevant (mixture).

CAS number

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Building material

1.3 Details of the supplier of the safety data sheet

FLUXANA® GmbH & Co. KG
Borschelstraße 3
D-47551 Bedburg-Hau
Germany

Telephone: +49 (0) 2821 - 48011-10
Telefax: +49 (0) 2821 - 48011-99
e-mail: info@fluxana.de
Website: www.fluxana.de

1.4 Emergency telephone number

As above or nearest toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	skin sensitisation	1	Skin Sens. 1	H317

Cement

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word danger

Pictograms

GHS05, GHS07



Hazard statements

- H315** Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements

- P261** Avoid breathing dust.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTRE/doctor if you feel unwell.

Hazardous ingredients for labelling portland cement
flue dust, portland cement

2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Cement



SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Hazardous ingredients				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
portland cement	CAS No 65997-15-1 EC No 266-043-4	25 - < 50	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335	
flue dust, portland cement	CAS No 68475-76-3 EC No 270-659-9	5 - < 10	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317 STOT SE 3 / H335	

for full text of H-phrases: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Following eye contact

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

Notes for the doctor

None.

Cement

4.2 Most important symptoms and effects, both acute and delayed

Cough, pain, choking, and breathing difficulties.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Do not get in eyes, on skin, or on clothing.

Do not breathe dust.

Control of dust.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Take up mechanically.

Cement

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not get in eyes, on skin, or on clothing.

Do not breathe dust.

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

None.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

humidity

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Cement

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
GB	dust		WEL		10			i	EH40/2005
GB	dust		WEL		4			r	EH40/2005
GB	gypsum	10101-41-4	WEL		10			i	EH40/2005
GB	gypsum	10101-41-4	WEL		4			r	EH40/2005
GB	calcium carbonate	1317-65-3	WEL		10			i	EH40/2005
GB	calcium carbonate	1317-65-3	WEL		4			r	EH40/2005
GB	portland cement	65997-15-1	WEL		10			i	EH40/2005
GB	portland cement	65997-15-1	WEL		4			r	EH40/2005

Notation

i inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
flue dust, portland cement	68475-76-3	DNEL	0.84 mg/cm ³	human, inhalatory	worker (industry)	chronic - local effects

Cement

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
flue dust, portland cement	68475-76-3	PNEC	6 mg/l	sewage treatment plant (STP)
flue dust, portland cement	68475-76-3	PNEC	282 µg/l	freshwater
flue dust, portland cement	68475-76-3	PNEC	28 µg/l	marine water
flue dust, portland cement	68475-76-3	PNEC	875 µg/kg	freshwater sediment
flue dust, portland cement	68475-76-3	PNEC	88 µg/kg	marine sediment
flue dust, portland cement	68475-76-3	PNEC	5 mg/kg	soil

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
these information are not available	these information are not available	these information are not available

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

Cement

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Form	powder
Colour	grey
Odour	odourless
Odour threshold	these information are not available

Other safety parameters

pH (value)	>11
Melting point/freezing point	>1,250 °C
Initial boiling point and boiling range	these information are not available
Flash point	not applicable
Evaporation rate	these information are not available
Flammability (solid, gas)	non-combustible
Explosion limits of dust clouds	not determined
Vapour pressure	these information are not available
Density	2.75 – 3.2 g/cm ³ at 20 °C
Vapour density	these information are not available
Relative density	these information are not available

Solubility(ies)

Water solubility	insoluble
------------------	-----------

Partition coefficient

n-octanol/water (log KOW)	these information are not available
Auto-ignition temperature	not relevant (Solid matter)
Relative self-ignition temperature for solids	these information are not available
Decomposition temperature	these information are not available

Viscosity

Kinematic viscosity	not relevant (solid matter)
Dynamic viscosity	not relevant (solid matter)

Cement

Explosive properties

not explosive

Oxidising properties

shall not be classified as oxidising

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Classified as corrosive to aluminium.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

water, acids, aluminium, ammonium compounds

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

If not otherwise specified the classification is based on:
Ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Acute toxicity of components of the mixture							
Name of substance	CAS No	Exposure route	End-point	Value	Species	Method	Source
flue dust, portland cement	68475-76-3	oral	LD50	>1,848 mg/kg	rat	OECD Guideline 422	ECHA

Cement

Acute toxicity of components of the mixture							
Name of substance	CAS No	Exposure route	End-point	Value	Species	Method	Source
flue dust, portland cement	68475-76-3	dermal	LD50	>2,000 mg/kg	monkey	OECD Guideline 402	ECHA
flue dust, portland cement	68475-76-3	inhalation: dust/mist	LC50	>6.04 mg/l/4h	rat	OECD Guideline 436	ECHA

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Cement

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Aquatic toxicity (acute) of components of the mixture

Aquatic toxicity (acute) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
flue dust, port-land cement	68475-76-3	EC50	28.2 mg/l	algae (Desmod-esmus sub-spicatus)	OECD Guideline 201	ECHA	72 h

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

Aquatic toxicity (chronic) of components of the mixture

Aquatic toxicity (chronic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
flue dust, port-land cement	68475-76-3	EL10	68.2 mg/l	daphnia magna	OECD Guideline 211	ECHA	21 d
flue dust, port-land cement	68475-76-3	NOEL	50 mg/l	daphnia magna	OECD Guideline 211	ECHA	21 d
flue dust, port-land cement	68475-76-3	NOEC	100 mg/l	daphnia magna	OECD Guideline 202	ECHA	48 h
flue dust, port-land cement	68475-76-3	NOEC	11.1 mg/l	zebra fish (Danio rerio)	OECD Guideline 203	ECHA	96 h

12.2 Persistence and degradability

Biodegradation

The study does not need to be conducted because the substance is inorganic.

Persistence

Data are not available.

12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

Cement

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

None of the ingredients are listed.

Cement

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

Not assigned.

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.
Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Indication of changes (revised safety data sheet)		
Section	Former entry (text/value)	Actual entry (text/value)
1.1	Trade name: Zement FLX-CRM100, FLX-CRM101, FLX-CRM103, FLX-CRM105, FLX-CRM106, FLX-CRM107, FLX-CRM108, FLX-CRM109, FLX-CRM110, FLX-CRM113. FLX-CRM114, FLX-CRM115, FLX-CRM116, FLX-CRM117, FLX-CRM118, FLX-CRM119, FLX-CRM120, FLX-CRM121, FLX-CRM122, FLX-CRM130, FLX-CRM131, FLX-CEM 01, FLX-CEM 02, FLX-CEM 03, FLX-CEM 04, FLX-CEM 04, FLX-CEM 05, FLX-CEM 06, FLX-CEM 07, FLX-CEM 08, FLX-CEM 09, FLX-CEM 10, FLX-CEM 11, FLX-CEM 12, FLX-CEM 13, FLX-CEM 14, FLX-CEM 15,	Trade name: Cement FLX-CRM100, FLX-CRM101, FLX-CRM103, FLX-CRM105, FLX-CRM106, FLX-CRM107, FLX-CRM108, FLX-CRM109, FLX-CRM110, FLX-CRM113. FLX-CRM114, FLX-CRM115, FLX-CRM116, FLX-CRM117, FLX-CRM118, FLX-CRM119, FLX-CRM120, FLX-CRM121, FLX-CRM122, FLX-CRM130, FLX-CRM131, FLX-CEM 01, FLX-CEM 02, FLX-CEM 03, FLX-CEM 04, FLX-CEM 05, FLX-CEM 06, FLX-CEM 07, FLX-CEM 08, FLX-CEM 09, FLX-CEM 10, FLX-CEM 11, FLX-CEM 12, FLX-CEM 13, FLX-CEM 14, FLX-CEM 15, FLX-CEM 16,

Cement

Indication of changes (revised safety data sheet)		
Section	Former entry (text/value)	Actual entry (text/value)
	FLX-CEM 16, FLX-CEM 18, FLX-CEM V02, FLX-CEM V03, FLX-137, FLX-138	FLX-CEM 17, FLX-CEM 18, FLX-CEM 19, FLX-CEM 20, FLX-CEM 21a FLX-CEM V02, FLX-CEM V03, FLX-137, FLX-138
1.3	<p>Details of the supplier of the safety data sheet: FLUXANA® GmbH & Co. KG Borschelstr. 3 D-47551 Bedburg-Hau Germany</p> <p>Telephone: ++49 (0) 2821 - 997 32-0 Telefax: ++49 (0) 2821 - 997 32-29 e-mail: Info@fluxana.de Website: http://www.fluxana.de</p>	<p>Details of the supplier of the safety data sheet: FLUXANA® GmbH & Co. KG Borschelstraße 3 D-47551 Bedburg-Hau Germany</p> <p>Telephone: +49 (0) 2821 - 48011-10 Telefax: +49 (0) 2821 - 48011-99 e-mail: info@fluxana.de Website: www.fluxana.de</p>
1.4	Emergency telephone number: As above or next toxicological information centre.	Emergency telephone number: As above or nearest toxicological information centre.
3.2		Hazardous ingredients: change in the listing (table)
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)
8.1		Relevant DNELs of components of the mixture: change in the listing (table)
8.1		Relevant PNECs of components of the mixture: change in the listing (table)

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

Cement

Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Cement

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Responsible for the safety data sheet

C.S.B. GmbH

Düsseldorfer Str. 113

47809 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0

Telefax: +49 (0) 2151 - 652086 - 9

e-Mail: info@csb-online.de

Website: www.csb-online.de

Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.